

Углеродные нанотрубки многослойные длинные, средние NT

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93


Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: hsf@nt-rt.ru || сайт: <https://hplc.nt-rt.ru/>

Carbon Nano Tubes



CODE	PRODUCT NAME	CAS NO.
NT0350	MULTI-WALLED CARBON NANOTUBES (MWCNT)ElectricalDiameter 20-30nmLength 30-50µml D: 0.34nmSSA: 90-300* m2/g	99685-96-8
NT0355	MULTI-WALLED CARBON NANOTUBES (MWCNT)GraphitizedDiameter 20-30nmLength 50-90µml D: 0.34nmSSA: 90-270* m2/g	99685-96-8
NT0365	MULTI-WALLED CARBON NANOTUBES (MWCNT)Industrial GradeDiameter 20-40nmLength 25-45µml D: 0.34nmSSA: 90-220* m2/g	99685-96-8
NT0370	MULTI-WALLED CARBON NANOTUBES (MWCNT)IndustrialDiameter 10-30nmLength 20-40µml D: 0.34nmSSA: 90-220* m2/g	99685-96-8
NT0360	MULTI-WALLED CARBON NANOTUBES (MWCNT)IndustrialDiameter 10-40nmLength 20-30µml D: 0.34nmSSA: 110-290* m2/g	99685-96-8
NT0445	MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWCNTL), Type 10	99685-96-8
NT0450	MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWCNTL), Type 11	99685-96-8
NT0415	MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWCNTL), Type 4, Diameter 20-30nm, Length 15-30µm, OH Content %: 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8

NT0420	MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWCNTL), Type 5, Diameter 20-30nm, Length 15-30µm, OH Content %: 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0425	MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWCNTL), Type 6, Diameter 20-30nm, Length 15-30µm, OH Content %: 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0430	MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWCNTL), Type 7, Diameter 20-30nm, Length 15-30µm, COOH Content % 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0435	MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWCNTL), Type 8, Diameter 20-30nm, Length 15-30µm, COOH Content % 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0440	MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWCNTL), Type 9, Diameter 20-30nm, Length 15-30µm, COOH Content % 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0455	MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWCNTL), Type 12	99685-96-8
NT0400	MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWCNTL)Type 1Diameter 20-30nmLength 15-30µmI D: 0.34nmSSA: 90-350* m2/g	99685-96-8
NT0405	MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWCNTL)Type 2Diameter 20-30nmLength 15-30µmI D: 0.34nmSSA: 90-350* m2/g	99685-96-8
NT0410	MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWCNTL)Type 3Diameter 20-30nmLength 15-30µmI D: 0.34nmSSA: 90-350* m2/g	99685-96-8
NT0545	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MWCNTM), Type 10	99685-96-8
NT0550	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MWCNTM), Type 11	99685-96-8
NT0555	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MWCNTM), Type 12	99685-96-8

NT0515	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MWCNTM), Type 4, Diameter 20-30nm, Length 5-15µm, OH Content %: 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0520	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MWCNTM), Type 5, Diameter 20-30nm, Length 5-15µm, OH Content %: 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0525	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MWCNTM), Type 6, Diameter 20-30nm, Length 5-15µm, OH Content %: 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0530	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MWCNTM), Type 7, Diameter 20-30nm, Length 5-15µm, COOH Content % 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0535	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MWCNTM), Type 8, Diameter 20-30nm, Length 5-15µm, COOH Content % 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0540	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MWCNTM), Type 9, Diameter 20-30nm, Length 5-15µm, COOH Content % 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0500	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MWCNTM)Type 1Diameter 20-30nmLength 5-15µmI D: 0.34nmSSA: 90-350* m2/g	99685-96-8
NT0505	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MWCNTM)Type 2Diameter 20-30nmLength 5-15µmI D: 0.34nmSSA: 90-350* m2/g	99685-96-8
NT0510	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MWCNTM)Type 3Diameter 20-30nmLength 5-15µmI D: 0.34nmSSA: 90-350* m2/g	99685-96-8
NT0620	MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWCNTS), Type 10	99685-96-8
NT0625	MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWCNTS), Type 11	99685-96-8

NT0630	MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWCNTS), Type 12	99685-96-8
NT0590	MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWCNTS), Type 4, Diameter 20-30nm, Length 3-8µm, OH Content %: 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0595	MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWCNTS), Type 5, Diameter 20-30nm, Length 3-8µm, OH Content %: 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0600	MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWCNTS), Type 6, Diameter 20-30nm, Length 3-8µm, OH Content %: 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0605	MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWCNTS), Type 7, Diameter 20-30nm, Length 3-8µm, COOH Content % 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0610	MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWCNTS), Type 8, Diameter 20-30nm, Length 3-8µm, COOH Content % 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0615	MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWCNTS), Type 9, Diameter 20-30nm, Length 3-8µm, COOH Content % 3-5Wt%, I D: 0.34nm, SSA: 90-350* m2/g	99685-96-8
NT0575	MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWCNTS)Type 1Diameter 20-30nmLength 3-10µmI D: 0.34nmSSA: 90-350* m2/g	99685-96-8
NT0580	MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWCNTS)Type 2Diameter 20-30nmLength 3-10µmI D: 0.34nmSSA: 90-350* m2/g	99685-96-8
NT0585	MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWCNTS)Type 3Diameter 20-30nmLength 3-10µmI D: 0.34nmSSA: 90-350* m2/g	99685-96-8
NT0060	SINGLE WALL CARBON NANOTUBES (SWCNT) , Type 2, Avg. Diameter 1-2+nm, Length 3-8µm, OH Surface Modified 3 – 6wt%, SSA: 350-450* m2/g	99685-96-8

NT0070	SINGLE WALL CARBON NANOTUBES (SWCNT) , Type 3, Avg. Diameter 1-2+nm, Length 3-8µm, COOH Surface Modified 2 – 5wt%, SSA: 350-450* m2/g	99685-96-8
NT0050	SINGLE WALL CARBON NANOTUBES (SWCNT) Type 1 Diameter 0.7-2nm Length 3-8 micrometers SSA: 350-450* m2/g	99685-96-8
NT0150	SINGLE WALL CARBON NANOTUBES Long Length (SWCNTL) , Type 10	99685-96-8
NT0155	SINGLE WALL CARBON NANOTUBES Long Length (SWCNTL) , Type 11	99685-96-8
NT0160	SINGLE WALL CARBON NANOTUBES Long Length (SWCNTL) , Type 12	99685-96-8
NT0120	SINGLE WALL CARBON NANOTUBES Long Length (SWCNTL) , Type 4, Avg. Diameter 1-2+nm, Length 15-30µm, OH Surface Modified: 3 – 6wt%, SSA: 350-450* m2/g	99685-96-8
NT0125	SINGLE WALL CARBON NANOTUBES Long Length (SWCNTL) , Type 5, Avg. Diameter 1-2+nm, Length 15-30µm, OH Surface Modified: 3 – 6wt%, SSA: 350-450* m2/g	99685-96-8
NT0130	SINGLE WALL CARBON NANOTUBES Long Length (SWCNTL) , Type 6, Avg. Diameter 1-2+nm, Length 15-30µm, OH Surface Modified: 3 – 6wt%, SSA: 350-450* m2/g	99685-96-8

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: hsf@nt-rt.ru || сайт: <https://hplc.nt-rt.ru/>